1/1/



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

		, ,			
APPLICATION NO.	· FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/692,365	10/19/2000	Orvalle Theodore Kirby	AUS9-2000-0629-US1	7061	
35525	7590 03/17/2004		EXAMINER		
DUKE W. YEE			PATEL, ASHOKKUMAR B		
	YEE & CAHOON, L.L.P.				
P.O. BOX 802334			ART UNIT	PAPER NUMBER	
DALLAS, T	DALLAS, TX 75380			7	
			DATE MAILED: 03/17/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

7

		Application No.	Applicant(s)				
,		09/692,365	KIRBY ET AL.	7			
	Office Action Summary	Examiner	Art Unit				
		Ashok B. Patel	2154				
Period fo	The MAILING DATE of this communicator Reply	ntion appears on the cover sheet w	ith the correspondence addre	ess			
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICANSIONS of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this communication of the period for reply specified above is less than thirty (30) of period for reply is specified above, the maximum statution to reply within the set or extended period for reply will reply received by the Office later than three months after ed patent term adjustment. See 37 CFR 1.704(b).	ATION. 37 CFR 1.136(a). In no event, however, may a rication. lays, a reply within the statutory minimum of thir ory period will apply and will expire SIX (6) MON. I. by statute, cause the application to become AB.	reply be timely filed  ty (30) days will be considered timely.  ITHS from the mailing date of this comm  BANDONED (35 U.S.C. § 133).	nunication.			
Status							
1)	Responsive to communication(s) filed	on					
2a) <u></u> ☐	•	)⊠ This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	ion of Claims						
5)□ 6)⊠ 7)□	Claim(s) 1-27 is/are pending in the app 4a) Of the above claim(s) is/are Claim(s) is/are allowed. Claim(s) 1-27 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	withdrawn from consideration.					
Applicati	on Papers						
	The specification is objected to by the E						
10)	The drawing(s) filed on is/are: a						
	Applicant may not request that any objection			4.4044.11			
11)	Replacement drawing sheet(s) including the The oath or declaration is objected to by						
Priority u	ınder 35 U.S.C. § 119						
a)[	Acknowledgment is made of a claim for All b) Some * c) None of:  1. Certified copies of the priority documents.  2. Certified copies of the priority documents.  3. Copies of the certified copies of the application from the International see the attached detailed Office action for	cuments have been received. cuments have been received in A the priority documents have been Bureau (PCT Rule 17.2(a)).	pplication No received in this National Sta	age			
	e of References Cited (PTO-892)	4) ☐ Interview S	ummary (PTO-413)				
2) 🔲 Notice 3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO- nation Disclosure Statement(s) (PTO-1449 or PTO No(s)/Mail Date	-948) Paper No(s	)/Mail Date formal Patent Application (PTO-15	52)			

#### **DETAILED ACTION**

1. Application Number 09/692, 365 was filed on 10/19/2000. Claims 1-27 are subject to examination.

### Specification

2. The disclosure is objected to because of the following informalities: Related arts are lacking their corresponding serial numbers. See pages 1 and 2. Appropriate correction is required.

### Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-10, 15-27 are rejected under 35 U.S.C. 102(e) as being anticipated by Pelissier et al. (hereinafter Pelissier)(US 6, 496, 503).

### Referring to claim 1,

The reference Pelissier teaches a method in a network computing system for managing configuration information for a set of components in a network computing system, the method comprising: storing the configuration information for the set of components in the network computing system to form stored configuration information; responsive to a power cycle, obtaining current configuration information from the set of components;

Art Unit: 2154

(col. 4, lines 23-44), comparing the current configuration information with the stored configuration information to form a comparison; updating the stored configuration information if a difference is present in the comparison. (Fig. 4, col. 8, lines 46-67 and col. 9, lines 1-58).

### Referring to claim 2,

The reference teaches the network 100 of Fig. 1 wherein the network computing system is a system area network. (Fig. 1, col.3, lines 55-60).

### Referring to claim 3,

The reference teaches Central Network Manager (subnet manager) could be provided as a separate device that is connected to one or more switches, could be included in a switch or could a be a software application that runs on one of the computers or end stations. (col. 4, lines 30-34). (storing the configuration information at a node in the network computing system where the subnet manager resides.)

### Referring to claim 4,

The reference teaches a management cell can be used to query or update data objects in a targeted device. A data object is a group or collection of data in the device which may be accessed as a unit, such as a forwarding database or a MAC address for the device. (col.8, lines 55-61). Thereby, it teaches storing configuration information associated with a component along with the component.

### Referring to claim 5,

The reference teaches Fig. 1 is a block diagram illustrating a network according to an embodiment of the present invention. Network 100 may be a system area network

Art Unit: 2154

(SAN), local area network (LAN), or other data network or packet switched network. Network 100 includes several end stations including computers 102 and 104, a server 106 and an input/output (I/O) device 108, which may be a hard disk drive, a tape drive, a CD ROM, etc. The end stations provided in the network 100 can be a wide variety of computers, servers, I/O devices or other devices. Fig. 1, col. 3, lines 58-65). The reference also teaches Central Network Manager (subnet manager) could be provided as a separate device that is connected to one or more switches, could be included in a switch or could a be a software application that runs on one of the computers or end stations. (col. 4, lines 30-34). Thereby, the reference teaches the stored configuration information is stored in one of a non-volatile random access memory, a hard disk drive, and an optical disk.

## Referring to claims 6 an 7,

The reference teaches the system with the set of components are a set of nodes and the set of components are a set of devices within nodes. (Fig. 1, col. 3, lines 58-67).

### Referring to claim 8,

In addition to the above, the reference Pelissier teaches the central network manager to route management cells to **specific devices** in an unconfigured or partially configured network using explicit routing to initialize or configure each device. After the devices in the network have been configured or initialized, subsequent cells can be routed through the **newly** configured devices using the more efficient destination address routing technique because each device now has a forwarding database. Thus, the present invention allows the appropriate routing technique to be selected based on the particular

Art Unit: 2154

situation. (col. 2, lines 66-67 and col. 3, lines 1-8) (a method in a network computing system for managing configuration information in the network computing system, the method comprising: discovering a component at a location on the network computing system; determining whether the component was previously in the location; configuring the component using previously stored configuration information for the component if the component was previously in the location; and configuring the component without the previously stored configuration information.)

### Referring to claims 9 and 10,

In addition to the above, the reference Pelissier teaches the central network manager to route management cells to **specific devices** in an unconfigured or partially configured network using explicit routing to initialize or configure each device. After the devices in the network have been configured or initialized, subsequent cells can be routed through the **newly** configured devices using the more efficient destination address routing technique because each device now has a forwarding database. Thus, the present invention allows the appropriate routing technique to be selected based on the particular situation. (col. 2, lines 66-67 and col. 3, lines 1-8) (A method in a network computing system for managing configuration information the network computing system, the method comprising: discovering a component at a location on the network computing system; determining whether stored configuration information is present at the component). The reference also teaches querying and updating the configuration as shown and described in Fig. 4, col. 8, lines 46-67 and col. 9, lines 1-58. (responsive to the stored configuration information being present at the component, reading the stored

Art Unit: 2154

configuration information; configuring the stored configuration information; determining whether changes to a configuration of the component are present; and responsive to changes being present, updating the changes to the stored configuration information in the component, and correcting for conflicts in the configuration of the component using the stored configuration information to form changed configuration information; saving the changed configuration information at the component.)

## Referring to claim 15,

Claim 15 is a claim to a network computing system for managing configuration information in accordance with the method steps of claim 1. Therefore, claim 15 is rejected for the reasons set forth for the claim 1.

### Referring to claim 16,

Claim 16 is a claim to a network computing system for managing configuration information in accordance with the method steps of claim 2. Therefore, claim 16 is rejected for the reasons set forth for the claim 2.

### Referring to claim 17,

Claim 17 is a claim to a network computing system for managing configuration information in accordance with the method steps of claim 3. Therefore, claim 17 is rejected for the reasons set forth for the claim 3.

### Referring to claim 18,

Claim 18 is a claim to a network computing system for managing configuration information in accordance with the method steps of claim 4. Therefore, claim 18 is rejected for the reasons set forth for the claim 4.

Page 7

Application/Control Number: 09/692,365

Art Unit: 2154

Referring to claim 19,

Claim 19 is a claim to a network computing system for managing configuration

information in accordance with the method steps of claim 5. Therefore, claim 19 is

rejected for the reasons set forth for the claim 5.

Referring to claims 20 and 21,

Claims 20 and 21 are claims to a network computing system for managing configuration

information in accordance with the method steps of claims 6 and 7. Therefore, claims

20 and 21 are rejected for the reasons set forth for the claims 6 and 7.

Referring to claim 22,

Claim 22 is a claim to a network computing system for managing configuration

information in accordance with the method steps of claim 8. Therefore, claim 22 is

rejected for the reasons set forth for the claim 8.

Referring to claim 23 and 24,

Claims 23 and 24 are claims to a network computing system for managing configuration

information in accordance with the method steps of claims 9 and 10. Therefore, claims

23 and 24 are rejected for the reasons set forth for the claims 9 and 10.

Referring to claim 25,

Claim 25 is a claim to a computer program product in a computer readable medium for

use in a network computing system for managing configuration information for a set of

components in a network computing system which performs the steps of the method of

claim 1. Therefore, claim 25 is rejected for the reasons set forth in claim 1.

Referring to claim 26,

Application/Control Number: 09/692,365 Page 8

Art Unit: 2154

Claim 26 is a claim to a computer program product in a computer readable medium for

use in a network computing system for managing configuration information for a set of

components in a network computing system which performs the steps of the method of

claim 8. Therefore, claim 26 is rejected for the reasons set forth in claim 8.

Referring to claim 27,

Claim 27 is a claim to a computer program product in a computer readable medium for

use in a network computing system for managing configuration information for a set of

components in a network computing system which performs the steps of the method of

claim 9. Therefore, claim 27 is rejected for the reasons set forth in claim 9.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set

forth in section 102 of this title, if the differences between the subject matter sought to be patented and

the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negatived by the manner in which the invention was made.

6. Claims 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Shah et al. (hereinafter Shah) (US 6,694, 361) in view of Pelissier et al. (hereinafter

Pelissier)(US 6, 496, 503).

Referring to claim 11,

Art Unit: 2154

The reference Shah teaches a bus system; a channel adapter unit connected to a system area network fabric; a memory connected to the bus system, wherein the memory includes as set of instructions; and a processing unit connected to the bus system (Fig. 4). The reference fails to explicitly teach the processing unit executes the set of instructions to store the configuration information for the set of components in the network computing system to form stored configuration information; obtain current configuration information from the set of components responsive to a power cycle; compare the current configuration information with the stored configuration information to form a comparison; and update the stored configuration information if a difference is present in the comparison. The reference Pelissier teaches this system by teaching central network manager and its functions. (Fig. 1, col. 2, lines 43-67 and col.3, lines 1-8 and lines 55-67, col. 4, lines 1-44, Fig. 4, lines 46-67 and col. 9, lines 1-58). Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention was made to combine Shah with Pelissier such that the system is made applicable to various type of computer networks such as LAN, CAN, MAN, GAN, SAN and many more as indicated by Shah in col. 2, lines 31-55.

### Referring to claims 12 and 13.

The reference Shah teaches the processing unit the processor unit includes a set of processors or a single processor. (Fig. 4, col. 4, lines 66-67 and col. 5, lines 1-4).

### Referring to claim 14,

The reference Shah teaches wherein the bus system includes a primary bus and a secondary bus. (Fig. 3).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ashok B. Patel whose telephone number is (703) 305-2655. The examiner can normally be reached on 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A Follansbee can be reached on (703) 305-8498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Abp

ZAHNI MAUNY BRIMARY FXAMINER